## Galway: GAPP - Galway Antimicrobial Prescribing Policy / Guidelines (GAPP): Neutropenic Sepsis

### Neutropenic Sepsis

## **Neutropenic Sepsis**

- 1. Any suspicion of neutropenia and fever OR clinical signs of sepsis must be assessed immediately as an emergency
- 2. Fever means temperature ≥38.3°C on one occasion or sustained temperature greater than 38°C.
- 3. Neutropenia means an absolute neutrophil count of less than 0.5 X 10<sup>9</sup> /L.
- 4. Administer antimicrobials promptly once sepsis is suspected. HSE Sepsis Programme Documents & Resources are available at <a href="https://www.hse.ie/eng/about/who/cspd/ncps/sepsis/resources/">https://www.hse.ie/eng/about/who/cspd/ncps/sepsis/resources/</a>
- 5. Note **frequent review** is essential. The time frames suggested for addition of additional empiric therapy may need to be shortened if the patient's condition is deteriorating.
- 6. Consider risk for **fungal** infection and **viral** infection.
- 7. If the infection is CVC associated remove the CVC .
- Review previous microbiology for history of colonisation or infection with antibiotic resistant organisms and assess other risk factors for antibiotic resistance. If colonised with Multi-drug Resistant Organisms (MDRO) including Carbapenemase Producing Enterobacteriacae (CPE), discuss with Microbiology or Infectious Diseases.
- 9. Comprehensive Haematology Guidelines are available on QPulse.

10. Summary treatment algorithms:

- Initial management of neutropenic sepsis algorithm
- <u>Continuing management of neutropenic sepsis algorithm</u>


Refs:

- 1. IDSA Guidelines for the use of antimicrobial agents in neutropenic patients with cancer. <u>Clin Infect Dis 2011;52:e56-93</u>
- 2. GUH Haematology Guidelines for the management of febrile neutropenic patients (QPulse CLN-HAEM-020)
- 3. NICE Neutropenic Sepsis: prevention and management in people with cancer (Clinical guideline 151) 2012
- 4. Adult Sepsis Form 2021

#### Initial management of neutropenic sepsis - Algorithm

Galway: GAPP - Galway Antimicrobial Prescribing Policy / Guidelines (GAPP) - Last Updated: March 28, 2025, 10:32 a.m., printed: May 18, 2025, 9:44 p.m.

## Neutropenic Sepsis Guidelines GUH – INITIAL Management




For information on further treatment, investigations and monitoring, please see Haematology Guidelines for the Management of Adult Febrile Neutropenic Patients in Galway University Hospitals on Qpulse

(click on image to enlarge)

Galway: GAPP - Galway Antimicrobial Prescribing Policy / Guidelines (GAPP) - Last Updated: March 28, 2025, 10:32 a.m., printed: May 18, 2025, 9:44 p.m.

page 2 of 4

# Neutropenic Sepsis Guidelines – CONTINUING Management



Galway: GAPP - Galway Antimicrobial Prescribing Policy / Guidelines (GAPP) - Last Updated: March 28, 2025, 10:32 a.m., printed: May 18, 2025, 9:44 p.m.

once daily on Mon/Wed/Friday

once daily

OR Fluconazole PO 50 to 400mg

page 3 of 4

Consider CMV serology &

\*IBW = Ideal Body Weight

PCR

(click on image to enlarge)

Galway: GAPP - Galway Antimicrobial Prescribing Policy / Guidelines (GAPP) - Last Updated: March 28, 2025, 10:32 a.m., printed: May 18, 2025, 9:44 p.m.

page 4 of 4